

HYBRID TEA ROSE PLANT NAMED 'TANTALIZING RED'

1

CLASSIFICATION

The present invention relates to a new $\underline{\textit{Rosa hybrida}}$ $\underline{\textit{Rosaceae}}$ plant.

5

VARIETY DENOMINATION

The new plant has the varietal denomination 'TANTALIZING RED'.

10

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of rose plant of the hybrid tea rose of the genus *Rosaceae* which was created by crossing as seed and pollen parents two (2) unknown rose varieties. The varietal denomination of the new variety is 'TANTALIZING RED'.

15

SUMMARY OF THE INVENTION

Among the novel characteristics possessed by this new variety which distinguishes it from other varieties of which I am aware, is its attractive red-purple flowers.

20

Asexual reproduction by propagation by budding of the new variety onto 'Dr. Huey' rootstock as performed in Wasco, California shows that the foregoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

47496/CAB/C614

BRIEF DESCRIPTION OF ILLUSTRATION

The accompanying illustration shows typical specimens of the flowers and foliage of the new variety depicted in color as nearly true as it is reasonably possible to make the same in a color illustration of this character.

5

1

10

15

20

25

47496/CAB/C614

DESCRIPTION OF THE NEW VARIETY

The following is a detailed description of 2-year budded plants of the new variety, with color terminology in accordance with The Royal Horticultural Society Colour Chart (RHSCC). The terminology used in color description herein refers to plate numbers in the aforementioned color chart. Phenotypic expression may vary with light availability, environmental and cultural conditions.

The following observations are made of specimens grown outdoors in Wasco, California, during November and budded on understock of 'DR. HUEY.

PLANT

1

5

10

	Form:	Upright
15	Growth:	Vigorous, non-uniform
	Size:	Height about 6 feet; width about 3 feet
	Foliage	
20	Size:	Terminal leaflet length about 2 1/2 inches[[;]], width about 1 3/4 inches; leaf about 5 1/2 inches long and about 4 inches wide; predominantly 5 leaflet
		leaves , occasional 7-leaflet leaves
30	Quantity:	Compound, from 5 to 7 leaflets; most typically, 7 leaflets About 7

Color

47496/CAB/C614

New foliage: Upper side near 146A; under

1 side near 182B

Mature Upper side near 147A; under

foliage: side near 147C

5 Shape: Elliptic

Texture

20

WOOD

Upper side: Smooth, semi-glossy

10 Under side: Matte

Edge: Serrated

Serration: Slight

Petioles: Top surface color near 144B;

Under side near 144A

Stipules: Normal

•

Auricle: Slight serration near 59B to

137C

Rachis: Smooth

New shoots

25
Bark: Smooth

Wood: Near 59C

Old wood

30 Bark: Smooth

Wood: Near 146B

47496/CAB/C614

1	Flowering stem:	Length about 24 inches
	Winter Hardiness:	Completely winter hardy
	Resistance to Disease:	Average
5	Preferred growing conditions:	Full sun
	Growth habit:	Upright
	Leaves per stem:	About 7
10	Thorns and prickles:	Average number of Very few prickles and thorns, new thorns about 3/16 inch, near 142B, mature thorns about 3/8 inch near 144B
15	FLOWER/INFLORESCENCE	
	Blooming Habit:	Recurrent
20	Bud	Average length about 1 3/16 inch, width 1 1/2 inches
	Form:	High centered classic rose form
25	Color:	Before sepals divide color near 60A; when sepals first divide color near 60C; when petals begin to unfurl color near 63B
30	Sepals:	Pointed on ends; regular appearance, usually 5 sepals, 1 1/8 inch long and 1/4 inch

47496/CAB/C614

		wide, occasional extensions	
1	Size:	Length in relation to bud, about 1 3/8 inches	
5	Color	Topside near 158B; bottom near 144C	
	Peduncle:	Smooth	
	Length:	About 1 3/4 inches	
10	Strength:	Firm	
	Color:	Near <u>139B</u> 59C	
	Flower	•	
15	Size:	About 5 inches	
	Borne:	Singly	
	Form:	High centered, opening flat with maturity	
20	Petalage:	About 38	
	Petaloids in center:	Few, about 3 to 5 petaloids, color near 74C	
25	Fragrance:	Slight	
	Lasting Quality:	About 3 weeks on plant; about 6 days after cutting	
	Color		
30	During first 2 days:	Inner petals at flower center topside near 65 60B; bottom near 65 60C; outer petals	

47496/CAB/C614

topside near 6560B, bottom near 6560C 1 Base of petals (Point of attachment): Near 158B General tonality from a 5 distance: Near 65B60C Color Change: As bloom ages, fades slight to near 6560C; after 3 or more days, about the same 10 General tonality from a distance: Dark red even after 3 or more days Petals 15 Texture: Soft Wider than long Shape: Normal Arrangement: 20 Satiny Appearance: Margin: Serrate Strong, as a cut flower and Persistance: in the garden 25 REPRODUCTIVE ORGANS Arrangement of stamens, Filaments and Anthers: Regularly arranged around 30 styles, about 40 to 50 filaments and anthers, no

47496/CAB/C614

		pollen observed	
1	Color:	Filaments near 162B; Anthers near 158B	
5	Styles:	Thin	
	Stigmas:	Color near 158D	
	Hips/Seed Vessels/Ovaries		
	Shape:	Round	
10	Size:	About 1/2 inch	
	Color:	Near 144A	
	Seeds:	No seeds observed	
15	Disease Resistance	Cultivar exhibits average	
		resistance/susceptibility to	
		disease	

20

25

47496/CAB/C614

_	\sim τ	-	T > "	
		. ^	TM	•
	_ L	$\boldsymbol{\Gamma}$. 1. 1'1	

A new and distinct Hybrid Tea Rose plant of the variety substantially as shown and described.

5

10

15

20

25

47496/CAB/C614

ABSTRACT

A new and distinct Hybrid Tea Rose plant variety with redpurple flowers.

5

10

15

20

25